WEST Search History for Application 10574243

Creation Date: 2009082911:58

Interference Searches

Query	DB	Op.	Plur.	Thes.	Date
(((writ $ or record $) same (medi $ 2 or dis $ 2 or carrier)) and (control $ same temp $ same (record $ or writ $) same (area $ or portion $ or section $)) and (temporary near4 (record $ or writ $) near4 (area $ 2 or section $ or port $)) and ((swicth $ or chang $ or select $) near10 mode $ 2)).clm.	PGPB	ADJ	YES		08-29-2009
(((writ $ or record $) same (medi $ 2 or dis $ 2 or carrier)) and (control $ same temp $ same (record $ or writ $) same (area $ or portion $ or section $)) and (temporary near4 (record $ or writ $) near4 (area $ 2 or section $ or port $))).clm.	PGPB	ADJ	YES		08-29-2009
(((writ $ or record $) same (medi $ 2 or dis $ 2 or carrier)) and (temporary near4 (record $ or writ $) near4 (area $ 2 or section $ or port $)).clm.	PGPB	ADJ	YES		08-29-2009
(((writ $ or record $) same (medi $ 2 or dis $ 2 or carrier)) and (temporary near4 (record $ or writ $) near4 (area $ 2 or section $ or port $)) and ((swicth $ or chang $ or select $) near10 mode $ 2)).clm.	PGPB	ADJ	YES		08-29-2009

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
(writ$ or record$) same (medi$2 or dis$2 or carrier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009

temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
transfer$ near5 rate$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
(transfer$ near5 rate$) near5 (low$ or reduc$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
stor$ same mem$ same tabl$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
(check$ or detect$ or determin$ or identify$) near10 (blank or empty or free) same (medi$2 or dis$2 or carrier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
(swicth$ or chang$ or select$) near10 mode$2	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier)) same (control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$))	PGPB, USPT, USOC, EPAB,	ADJ	YES		08-29-2009

	JPAB, DWPI, TDBD				
((writ$ or record$) same (medi$2 or dis$2 or carrier) same control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$)) same l	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier) same control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$)) same (temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier) same control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$) same temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$)) same (transfer$ near5 rate$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier) same control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$) same temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$)) and (transfer$ near5 rate$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier) same control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$) same temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and transfer$ near5 rate$) and (transfer$ near5 rate$ near5 (low$ or reduc$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
(transfer$ near5 rate$ near5 (low$ or reduc$)) and (temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
		ADJ	YES		08-29-2009

(transfer$ near5 rate$ near5 (low$ or reduc$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$)) and (temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
(transfer$ near5 rate$ near5 (low$ or reduc$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$)) and (control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
(transfer$ near5 rate$ near5 (low$ or reduc$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$)) and ((writ$ or record$) same (medi$2 or dis$2 or carrier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
(transfer$ near5 rate$ near5 (low$ or reduc$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$) and (writ$ or record$) same (medi$2 or dis$2 or carrier)) and (stor$ same mem$ same tabl$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier)) and (control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier) and control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$)) and (temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier) and control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$) and temporary	PGPB, USPT, USOC,	ADJ	YES	08-29-2009

near4 (record$ or writ$) near4 (area$2 or section$ or port$)) and (transfer$ near5 rate$)	EPAB, JPAB, DWPI, TDBD			
((writ$ or record$) same (medi$2 or dis$2 or carrier) and control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and transfer$ near5 rate$) and (transfer$ near5 rate$ near5 (low$ or reduc$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier) and control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and transfer$ near5 rate$ and transfer$ near5 rate$ near5 (low$ or reduc$)) and (stor$ same mem$ same tabl$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier) and control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and transfer$ near5 rate$ and transfer$ near5 rate$ near5 (low$ or reduc$)) and ((check$ or detect$ or determin$ or identify$) near10 (blank or empty or free) same (medi$2 or dis$2 or carrier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
((writ$ or record$) same (medi$2 or dis$2 or carrier) and control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$) and temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$) and transfer$ near5 rate$ and transfer$ near5 rate$ near5 (low$ or reduc$)) and ((swicth$ or chang$ or select$) near10 mode$2)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
((check$ or detect$ or determin$ or identify$) near10 (blank or empty or free) same (medi$2 or dis$2 or carrier)) and ((swicth$ or chang$ or select$) near10 mode$2)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES	08-29-2009
((check$ or detect$ or determin$ or identify$) near10 (blank or empty or free) same (medi$2 or dis$2 or carrier) and (swicth$ or chang$ or select$) near10 mode$2) and (stor$ same mem$ same tabl$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	ADJ	YES	08-29-2009

	TDBD				
((check$ or detect$ or determin$ or identify$) near10 (blank or empty or free) same (medi$2 or dis$2 or carrier) and (swicth$ or chang$ or select$) near10 mode$2 stor$ same mem$ same tabl$) and (transfer$ near5 rate$ near5 (low$ or reduc$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
((check$ or detect$ or determin$ or identify$) near10 (blank or empty or free) same (medi$2 or dis$2 or carrier) and (swicth$ or chang$ or select$) near10 mode$2 and stor$ same mem$ same tabl$ and transfer$ near5 rate$ near5 (low$ or reduc$)) and ((writ$ or record$) same (medi$2 or dis$2 or carrier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
((check$ or detect$ or determin$ or identify$) near10 (blank or empty or free) same (medi$2 or dis$2 or carrier) and (swicth$ or chang$ or select$) near10 mode$2 and stor$ same mem$ same tabl$ and transfer$ near5 rate$ near5 (low$ or reduc$) and (writ$ or record$) same (medi$2 or dis$2 or carrier)) and (control$ same temp$ same (record$ or writ$) same (area$ or portion$ or section$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009
((check$ or detect$ or determin$ or identify$) near10 (blank or empty or free) same (medi$2 or dis$2 or carrier) and (swicth$ or chang$ or select$) near10 mode$2 and stor$ same mem$ same tabl$ and transfer$ near5 rate$ near5 (low$ or reduc$) and (writ$ or record$) same (medi$2 or dis$2 or carrier)) and (temporary near4 (record$ or writ$) near4 (area$2 or section$ or port$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-29-2009